Purchase Order Receipt Listing

July 17, 2012 9:55:38 AM

All amounts are calculated in domestic currency.

Page 1 of 1

All Vendors PO ID PO17223 All Receipt Dates All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

CAD	VendorID\Vendor Name PO17223 1	Purchase Order ID/ Curr Type
No	idor Nan 1	Line Nbr/ Insp Req
	P2010	Project ID Reference/ Description Cert Std
303 PLATE 10-1/4" X 7-1/4" X 0.750" THICK 122234		Reference/ Description/ Cert Std
0-1/4" 750"	Campi Steel Each	PO U/M / Stock U/M
		. 3
5.0000	6/27/12	Required Date Required Qty
DESJ02		Recv Date/ Recv Emp
	5.0000	Recv Qty (PO U/M)
\$1,594.61 Total	\$318.92	Cost Per Unit/ Recv Value
Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:	0.0000	Inspected Qty/ Rejected Qty (PO U/M)
uantity: O U/M): uantity: t Value: uantity:	0	MRB Qty/ MRB Reject Oty
5.0000 0.0000 0.0000 \$1,594.61 0.0000	\$1,594.61	Book Amt

bO KEbKINL

Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.

Fax: 613 632 1053



Change Nbr:

Purchase Order ID PO17223

PO Print Date 7/17/12 Purchase Order Date 6/14/12

Page Number 1 of 1

Certification required - (YES

PO Total:

\$325.0000

Езср

5.00 Yours ppd

Certificate of Conformity or Material

No substitution or deviation without

ON

00.229,18

\$1,625.00

Extended Price	Soir Price		O . Peg. Q Unit of Measu	Req Date/ Taxable	Description/ Mfg ID Number	Jine Nbr Reference Revision ID Vendor Part
			ZYI V95	CYNYDY HYMKERBNKA' ON I ISJO YBEKDEEN	DART AEROSPACE LTD	: oT qid8
		Chantal Lavoie 10127-2607 Vet 30 CAD Destination-Collect	nyer ax Resale Nbr erms erms erms erms erms equipment eq	C L L	9695 LLE 054 8774 L99 008	Contact Name Vendor Phone Vendor Fax Vendor Account Nbr
						CAMPI STEELD, 935 BOUL, DU P CAMPI STEEL

Χes

71/17/9

1/4" X 0.750" THICK

303 PLATE 10-1/4" X 7-

Change Date: 6/14/12

935, boul. du Havre Valleyfield (Québec) 168 51.1 CAMP

613-632-1053

613-632-5280

VENDU À / SOLD TO:

1270 ABERDEEN STREET

HAWKESBURY, UNTARIO K6A 1K7

DART RERUSPACE LID

TÉLÉPHONE: 450 377-4248 450 377-5696 EFEX:

MONTRÉAL : 514336-4248 FAX : 514 336-4246

52467 DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS STEEL AND SPECIALLY METALS DISTRIBUTOR

On a du Savoir " 78R"

ONTARIO:1800667-4248 FAX: 1866456-4242

EXPEDIEZ A / SHIP TO:	COMMANDE ORDER	N° 299638	
DART REROSPACE L.TD	DATE	14/96/18	1
1270 ABERDEEN STREET HAWKESRURY.	BON DE LIVRAISON	Š	
ONTARIO	DATE DE LIVRAISON DELIVERY DATE	27/06/12	
TERMISS / JERMS	TEHR. REMARQUES / PEMARKS	PAGE W	

17883		DAER	V DAER N	NET 30 JOURS		38		861
CODE DE PRODUIT PRODUCT COSE	COMBRANDE ORDERED.	g.Capas	NSGRIPTION CO S. C.	The state of the s	Ports	PHIX	*	MONTANT
No. 1974 St. 1 of grant and a management and a	THE CASE OF THE PARTY OF THE PA	THE PARTY OF THE P	**MILL TEST REQUIS**		a commence of the commence of		And the second s	THE COMMENT OF PROPERTY AND RECOGNISHED AND RECOGNISHED THE PROPERTY OF THE PR
	E)		PLAQUE 55-303 3/4" EPAIS		5.86			
			HEAT: 58478					
Littles company: CLB Continue	· CPI Centpled:	. UN Unité : PI Pod	• PC Pled carré • PC Square foot	POIDS TOTAL TOTAL WEIGHT	i.7			
PIORICO ICHARAN (VIDER 1786 PIERO BENE ST 17800000 EL MARIBIERO POR SERVICIO PROPERTO PARA PROPERTO PARA PERSONA PERSONA PARA PERSONA PERSO	STANCE AS THE PRINCIPLE AS PROPRIET	Sic Jeen cuer sec. Jeork		CONDITIONS: All sold medicared seman in Emoterity of sacre comments and sold in the property is also sold for the management and an entering the sold sold in the management and an entering sold sold sold sold sold sold sold sold	L PRINCETT IS INDE IN FULL	COMPLETE AND CASHED.	SOUS-TOTAL	

LIS LATERIUM, LAMÉS ET RUTRICK TILS GAR DÉKATIS DEMINIÈRI LI PROPRÈTE OF VIRME GARMET CARRESTE PROPRESSE P HEURE / TIME

LIVRÉ. / DELIVERED

VERIFIE? VERIFIED

PREPARE I PREPARED.

» pri cj. ren jar kost ezemack vitner pat pataga vatni tipg docoment docazogego. • nat personomene tikañ Ped patagit eze betarren) • * all gocos peticpaeo iakt zet entiloke autakosanom and are sobect

MARICHANDISE RECUE ER BONRIE CONDITION METCHANDISE RECEIVED IN GOOD CONDITION
A / Y M / M

TOTAL

T.V.Q. / T.V.H Q.S.T. / H.S.T.

T.P.S. G.S.T.

SACHATURE DU CLIENT / CUSTOMERS SKOMATARE

Societies Societies	MATRIAI CERTIFICATION REPORT and CERTEFICATION OF QUALITY CONPORMANCE CERTEFICATION OF QUALITY CONPORMANCE ELECTRALLOY ELECTRALLOY CARLSON PLATE CARLSON	1] 3344 Sales Order
1 59478 59478-187 2.450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 1 59478 59478-187 2.450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 2 450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 2 450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 1 450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 1 450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 1 450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 1 450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 1 450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 1 450 LB Large 155,0000 kg, Thick U.7500 kg, Width: 12,8000 in 1 450 LB Large 155,0000 kg, Thick U.7500 kg,		merMark
Treated and Manufactured in the table of the configuration of the config	Onenity Elect Let 30 West 1 59476 Elect 1 59478 50478 1 5 50478 1 5 50478 1 5 50478 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Ī
FOCUSION VARIETY OF A STABLE 1 0.654 0.000 0.130	1 July July Reply Lo	
1.00		
No. 6, 0156 0, 0150 0,	C C 0.054 0.050 0.150 C C C C C C C C C C C C C C C C C C C	-
Fig. 1. Control of the control of th	No. 1.58 0.060 ft 205	
S1 17-10 17-20 19-20	5 00.101 0.150 100.000	
(BBM) (B	51 00.11 0.17.00 19.00	
(BBH) (B	3.30 8.00 1.0.00	
(BBH) (B		
ORACEO ASTA E372-02a (2006)c2 and ASTAS BIGGE-08 are methods used to determine the chemical malysis for Te Bass (High Albay) albers vilicing NOF, OISS and Combastion for the chemical malysis for Te Bass (High Albay) albers vilicing NOF, OISS and Combastion for the chemical malaysis for the chemical malaysis and planel Tested and Period and Period and Period of Processis Specially Motors and Period and Period of Processis Specially Motors and regard to the chemical malays and produced was produced by the statement of the chemical malays and the contract with Huncury of its compounds which the chemical malays and of the chemical malays and the chemical malays and the chemical malays and the contract with Huncury of its compounds which has a chemical malays and the chemical mala	(BB07) 170 0	
all purchase order and specification requestrates. 14 Att. 1. Preference for Decessive Specialty Metals' 15 Att. 1. Preference for Decessive Speciality Metals' 15 Att. 1. Preference of Decessive Speciality Metals' 16 Att. 1. Preference of Decessive Speciality Metals' 17 Att. 1. Preference of Decessive Speciality Metals' 17 Att. 1. Preference of Decessive Speciality Metals' 18 Att. 1. Preference of Decessive Speciality Metals' 18 Att. 1. Preference of Decessive Speciality Metals' 18 Att. 1. Preference of Decessive Special Metals' 18 Att. 1. Preference of Decessive Speciality Metals' 18 Att. 1	ORMEO ASTM E572-02a	-
icako requirencata. A is fraden cerifical frat las test reports. order requirements 19 facilities.	and Fractors Methods. All stems are in All (complicate with all purchase order and specification require teams. All stems are in All (complicate with all the properties of Decestic Specialty Methods. Complicat with DFARS 252 252 252 200 200 200 200 200 200 200	
bare not case. Into which we did not be used in the USA.	The material was Heaf Treated and Defined white at our facility. Makerial (unished on this order was produced white at our facility. Makerial was not expected to keadium or other radioactive malacide white at our facility. Makerial was not expected to keadium or other radioactive malacide white at our facility. Makerial was not expected to keadium or other radioactive malacide white at our facility. Makerial was not expected to keadium or other radioactive malacide with the purchase made of the requirements. Makerial was not expected to the foundation of the long function of the long	
	Materials produced under the Later of the USA 169% Methed, Rolled and Manifectured in the USA	
		Page 1 of 2

The recording of Earle, Legitical, or final stand stand recording or control of propositions and the rest Stands on record.

The recording of Earle, Legitical, or final stands or control of the control

1. 1 1 h

ŗ

\$ Jo E igged

Ship Note 113386 Asset Control die U.S. Doportment of State, Directorale of Definie. Trade Controls, and the Nuclear Regulatory Commission, we solely the responsitify of the purchastr. Further, purchaser warrants regulation, or practice, from any U.S. government agency, including but not limited to the Repartment of Communicates's Boreau of Loubstry and Serwiny, the Department of Tressury, Office of Foreign His grafies agree that whroughde transfers for the products subject to this agreement, or what the problems are delivered to purchases, whichever occurs first, responsibility for the submission of say required exporter re-export formers or related export control approachs for those products also transfers to purchaser. Any export increases or related export control export control and export control an 24-Cet-2013 9:37 Print Date Tinte Carlifferiffen ID 1340941 Title: QC Technician Works Inspector Name: David A. Fulkerson Electrating f GOC Plate. We bereign afficial that the reported recallis on this certification are correct sook Electra flow only secrepts residual and trace elements to the fanits involved by the specification and or securate. All tests and results and operations performed by (Et. ctrakeyrG.O. Carbon Plats) or its DFARS-225.1-D by American Act Supplies. HWRR - Minimum Hot Working Recordion Ratio. customes. His documentation not be reproduced, except in full, without the written approval of that it will compay with all applicable expect and re-expect controls in lated to these products. Mens BU Chearlical Wolls". Contains NO "WILGS" relevant substances. Compiles with subcontractors are in compliance wills the applicable material faustonier specification (s). CERTIFICATION OF QUALITY CONFORMANCE MATERIAL CHITTECATION REPORT and G. D. CARLSON PLATE ELECTIMALIOY

The recording of fields fields or few solven sourcements or mains on the documentary by contributes a state of solven for the.
The shows are by a said anteresting and see species of the marries, Results conference to periodistic by the state and any on provid-